

Flammable Cabinet**WA810041**

It has acquired CE Certification and OSHA 29 CER 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association and Hazardous Chemicals Control Ordinance of State Bureau of Safe Production Supervision and Administration

SYSBEL Flammable Cabinets for storing flammable liquids (low and median flash point liquid¹, flash point < 37.8°C), Reduce the risk of fire, to ensure the safety of life and property.

1. Double-wall construction with 38mm insulating air space for fire resistance.
2. Over 1.2mm thick, fully welded, construction holds squareness for longer life, offering greater protection in a fire.
3. 5.3cm leak tight sump at the bottom of cabinet's maximally catches incidental drips.
4. Door can be fully opened to 180°, easy to operate, three-point latch with a manual lock for better security.
5. Standardized warning label is highly visible and anti-corrosive.
6. Unique spill-catcher shelves catch incidental drips and adjust on 6cm centers.
7. Durable & chemical resistant, lead-free powder coat inside and outside cabinet, reduce effects of corrosion and humidity.
8. 2 inches vents with integral flame arresters in both sides of every cabinet.
9. In terms of OSHA, on outside side panel, there is built-in grounding static connector for easy grounding.

**Flammable Cabinet WA810041**

Volume (Gal/L)	Certification	Door type	Ext dimension (H×W×D/cm)	Packing dimension (H×W×D/cm)	Adjustable Shelves (Pcs)	Shelf Loading Weight (Kgs.)	N.W. (Kgs.)	G.W. (Kgs.)	Model
4/15	CE	Single Door/ Self-close	56×43×43	59×50×50	1	50	26.5	30.5	WA810041

WA810041



Product details

The door is self-close

18Ga(1-mm)quality welded steel
Unleaded coating with polish surface, which is corrosion and moisture proof

Fireproofing vents to effectively reduce the concentration of volatile substances, and prevent fire hazards. Special spill-proof shelves to avoid chemical leakage by accident.

Adjustable shelves with anti-leakage design

The cabinet has three-point linkage lock, and the door can open 180°

Shelf bracket welded on both sides of cabinet

The three-point bullets: Anti-static design structure

FM Approved Anti-Static Device: Conductor grip combine the equipment with the cabinet to conduct the static to earth, thus to prevent fire accident

Reflective labels, cabinets can be quickly located the position of the cabinet in smoke and dark environment

SYSBEL®

+86-4008-94-8808

www.sysbel.com